

Package: mbX (via r-universe)

March 4, 2025

Title A Comprehensive Microbiome Data Processing Pipeline

Version 0.1.3

Description Provides tools for cleaning, processing, and preparing microbiome sequencing data (e.g., 16S rRNA) for downstream analysis. Supports CSV, TXT, and 'Excel' file formats. The main function, `ezclean()`, automates microbiome data transformation, including format validation, transposition, numeric conversion, and metadata integration. Also ensures efficient handling of taxonomic levels, resolves duplicated taxa entries, and outputs a well-structured, analysis-ready dataset.

License MIT + file LICENSE

Encoding UTF-8

Imports tools, readxl, openxlsx, dplyr, tidyr, ggplot2

RoxygenNote 7.3.2

VignetteBuilder knitr

Suggests knitr, rmarkdown

NeedsCompilation no

Author Utsav Lamichhane [aut, cre]

Maintainer Utsav Lamichhane <utsav.lamichhane@gmail.com>

Date/Publication 2025-03-03 12:10:11 UTC

Config/pak/sysreqs libicu-dev

Repository <https://utsavlamichhane.r-universe.dev>

RemoteUrl <https://github.com/cran/mbX>

RemoteRef HEAD

RemoteSha 554ac35aa5cff71515cebc5ca2aa9c79d5adefbd

Contents

ezclean	2
ezviz	3

Index	4
--------------	----------

ezclean

Clean and Process Microbiome Data

Description

Processes microbiome and metadata files (e.g., 16S rRNA sequencing data) to produce an analysis-ready dataset. Supports CSV, TXT, and 'Excel' file formats. This function validates file formats, reads the data, and merges the datasets by the common column 'SampleID'. If a 'Taxonomy' column exists, the data are filtered to include only rows matching the provided taxonomic level.

Usage

```
ezclean(microbiome_data, metadata, level = "d")
```

Arguments

microbiome_data	A string specifying the path to the microbiome data file.
metadata	A string specifying the path to the metadata file.
level	A string indicating the taxonomic level for filtering the data (e.g., "genus").

Value

A data frame containing the cleaned and merged dataset.

Examples

```
# Example usage (ensure that 'inst/extdata' contains the appropriate files,  
# or modify this example to use your own data)  
microbiome_data <- system.file("extdata", "microbiome.csv", package = "mbX")  
metadata <- system.file("extdata", "metadata.csv", package = "mbX")  
if (nzchar(microbiome_data) && nzchar(metadata)) {  
  cleaned_data <- ezclean(microbiome_data, metadata, "genus")  
  head(cleaned_data)  
} else {  
  message("Sample data files not found.")  
}
```

Description

Generates publication-ready visualizations for microbiome data. This function first processes the microbiome and metadata files using `ezclean()`, then creates a bar plot using `ggplot2`. Supported file formats are CSV, TXT, and 'Excel'. Note: Only one of the parameters `top_taxa` or `threshold` should be provided.

Usage

```
ezviz(  
  microbiome_data,  
  metadata,  
  level,  
  selected_metadata,  
  top_taxa = NULL,  
  threshold = NULL  
)
```

Arguments

<code>microbiome_data</code>	A string specifying the path to the microbiome data file.
<code>metadata</code>	A string specifying the path to the metadata file.
<code>level</code>	A string indicating the taxonomic level for filtering the data (e.g., "genus").
<code>selected_metadata</code>	A string specifying the metadata column used for grouping.
<code>top_taxa</code>	An optional numeric value indicating the number of top taxa to keep. Use this OR threshold, but not both.
<code>threshold</code>	An optional numeric value indicating the minimum threshold value; taxa below this threshold will be grouped into an "Other" category.

Value

A `ggplot` object containing the visualization.

Examples

```
# Example usage (ensure that 'inst/extdata' contains the appropriate files):  
microbiome_data <- system.file("extdata", "microbiome.csv", package = "mbX")  
metadata <- system.file("extdata", "metadata.csv", package = "mbX")  
plot_obj <- ezviz(microbiome_data, metadata, "genus", "sample_type", top_taxa = 20)  
print(plot_obj)
```

Index

ezclean, 2
ezviz, 3